Packaging / Converting Catalogue



- LABELS
- DECALS
- TAGS
- TAPES
- FOAMS
- FILMS
- MAGNET



LABELS

Custom Printed, Plain or Stock Copy.

Available in a wide variety of materials and adhesives.

Papers, films, foils & tag grades with permanent, removable, repositionable, blockout and freezer adhesives.

Including:

- Industrial grade
- Thermal transfer
- Direct thermal
- Laser
- Inkjet
- EDP (tractor feed)
- Asset tags
- Coupon
- Multi part
- Tamperproof & tamper evident
- Pars, paps & cargo control *
- Meat inspection *
- Standard copy

Additional capabilities:

Clear film lamination
Full colour process printing
Digital printing for short runs
Consecutive numbering
UPC / barcodes
Variable information input
Pattern coated adhesive

^{*} Tru-Pac is a registered Canada Customs & CFIA printer allowing production of Pars, Paps, & Cargo Control labels as well as reproduction of the Meat Inspection Legend.

Automotive Labels








Meets SAE Standard J431-G3000 Répond à la norme SAE J431-G3000 BRAKE PARTS INC. McHENRY, IL 60050

© Raybestos Products Company. Registered Trademark Licensed to Brake Parts Inc.
© Raybestos Products Company. Marque disposée utilisée sous licence par Brake Parts Inc.
Printed in Canada. Imprimé au Canada. FO-2791-PG 02/01











L-24

Contents conform to U.S. Federal Motor Vehicle Safety Standards, if any are applicable.



No. of pcs. Part #: Reason:

Inspector:

Automotive Labels





MUFFLER / SILENCIEUX 20100-09A10

MANUFACTURED FOR NISSAN CANADA INC. MISSISSAUGA, ON L4W 4Z5 FABRIQUÉ POUR NISSAN CANADA INC. MISSISSAUGA, ON L4W 4Z5




AUG.

SEPT.

SUPPLIER REJECT DO NOT USE

REJECT DO NOT USE





DEALER SERVICES

6050 TOMKEN ROAD, MISSISSAUGA, ONT. L5T 1X8

TRU-PAC Food Processing Labels



- Refer to product guide for supplementation
- · Always practice safe meat handling
- · Thaw overnight in refrigerator

Animal Wellness Distribution Inc.

- · Once opened, use immediately
- Always supervise your pet when eating bones
- · Never cook bones

Made for Animal Wellness Distribution by Better Companion Care Alternatives



NOT RECOMMENDED **FOR TREATING DRINKING WATER**

Nutrition Facts Valeur nutritive

Per 3 tbsp. (50 mL) par 3 c. à soupe (50 mL)

Amount Teneur	% Daily Value % valeur quotidienne	
Calories / Calor	ries 180	
Fat / Lipides 0	g	0 %
Sodium / Sodiu	m 2 mg	0 %
Carbohydrate /	Glucides 45 g	15%
Sugars / Sucre	s 45 g	
Protein / Protéi	nes 0 g	
Calcium / Calciu	m	6%

Not a significant source of saturated fat, trans fat, cholesterol, fibre, vitamin A, vitamin C, iron or sodium. Source négligeable de lipides saturés, lipides trans, cholestérol, fibres, vitamine A, vitamine C, fer et sodium.

> SCELLEE **FRESHNESS**

SEALED FRAICHEUR SCELLEE **FRESHNESS** SEALED FRAICHEUR

SCELLEE **FRESHNESS** SEALED

FRAICHEUR

SCELLEE

FRESHNESS



Neilson[®]

2% M.F. Milk-Lait Milkettes

PASTEURISÉE U.H.T PASTEURIZED

INGREDIENTS: PARTLY SKIMMED MILK, SODIUM CITRATE, SODIUM PHOSPHATE, CARRAGEENAN, LOCUST BEAN GUM, INGREDIENTS: LAIT PARTIELLEMENT ECRÈME, CITRATE DE SODIUM, PHOSPHATE DE SODIUM, CARRAGHÉKINE, GOMME DE CAROUBE.

(1590) KEEP REFRIGERATED/GARDER AU RÉFRIGÉRATEUR ®WILLIAM NEILSON LTD./LTEE, HALTON HILLS, ONTARIO L7G 4B3



- Tossed Greek Mediterranean
- Caesar
- Grain & Lentil Cole Slaw
- Seafood Potato

Marinated Vegetable

Chicken Penne Potato & Bean Greek Feta

AMBER AMBRE















TRU-PAC Food Processing Labels



HARD CENTRES CENTRES DURS





INGREDIENTS: Cucumbers, Sugar, Vinegar, Onions, Red Pepper, Green Pepper, Celery, Flour, Mustard, Tumeric, Celery Seed, Mustard Seed.

INGRÉDIENTS: Concombres, Sucre, Vinaigre, Oignons, Poivrons Rouge, Poivrons Vert, Céleri, Farine, Moutarde, Curcum, Graine de Céleri, Graine de Moutarde.

227mL RELISH the BUSINESS, R.R. #2, PETERBOROUGH, ONTARIO 743-9391




Safety Seal

Safety Seal

Safety Seal

Safety Seal

Safety Seal







PURE LACQUA

Water for Health. Water for Life.

Purified Water/ Eau Purifiée 🍁 500ml/16.8 Fl. Oz.

TRU-PAC Blank Thermal Labels

TRU-PAC
Barcode & Consecutive
Number Labels

00012

00013

00014

CE14519 CE14518

CE14517

13887

2626

P.D. BOX 540 BRANTFORD ONT, NST SRE





2264 000782 IDEC

I DECK TRANSPORT LIMITE



-786056

TRU-PAC

Hospital Labels

MEDICATION-ADDED

Patient ___

ROOM No. ____

DRUG

DOSAGE

UNREPORTED FILM -RETURN **IMMEDIATELY**

IV Bag Hung

Date _____ Time_

Rm. No. ____ Date

NAME Hosp. No.

DIABETIC

Patient Name:

SEMI

CYTOLOGY (Not Tissue Pathology)

Glov: RUBBER, Dye: GOOGLES, CYTOLOGY USE ONLY.
KEEP WWY FROM HEAT, SPARKS AND FLAMES, USE WITH ADEQUATE VENTILATION, SEE MATERIAL SAFETY DATA SHEET, MSDS LD.: 10033 50% DENATURED ALCOHOL



NATURE OF SPECIMEN: _____

DNR

NEW ROOM No. DEPARTMENT

THIS BAG MAY CONTAIN **MULTIPLE DOSES** AND IS INTENDED FOR CADD PLUS PUMP USE.

MAGNESIUM SULFATE

SMOKER

MEDICATION ADDED

Room:

Patient:

Date: Time:

Medication:

Strength:

Signature:

TOTAL of Drug in Bag:__ G-TUBE

SOLUTION

Safety Seal

Safety Seal

Safety Seal

MRI COMPATIBLE

INTRAVENOUS SOLUTION ADDITIVES

Date_____ Time _____ By _____

Time Started # _____#

DRUGS ADDED STRENGTH

FLOW RATE

This label must be affixed to all infusion fluids containing additional medication.

Form # \$125009

DECALS

Great for equipment or harsh environments that demand durability.

Custom Printed on outdoor grade

- Vinyls
- Polyesters
- Polypropylenes
- Printed with fade resistant inks

Additional Capabilities

- Static Cling
- Consecutive numbering
- Barcodes
- Clear film lamination for added durablility and longevity









CAUTION



AVOID INJURY FROM ROTATING AUGER KEEP HANDS, FEET AND CLOTHING AWAY

POUR ÉVITER DES BLESSURES GRAVES: GARDER LES MAINS, LES PIEDS VÊTEMENTS ÉLOIGNÉS DES SANS FIN VIS



Serial No.:



PORT

BEFORE USING

- OIL LEVEL MUST BE CHECKED FILL WITH AGMA N°. 5 EP READ INSTRUCTION MANUAL

005

- AVANT USAGE
 VÉRIFIER LE NIVEAU D'HUILE
 REMPLIR AVEC DE L'HUILE AGMA N°. 5
 POUR EXTRÊME PRESSION
 LIRE LE MANUEL D'INSTRUCTION EP

Caution!

- * All people must be out of boat before operating * Boat must be tied to guide posts using proper tying procedure * Rails must be removed
- destroy winter or ice will

DANGER



TO AVOID SERIOUS INJURY:

DISCHARGE CHUTE WHILE ENGINE IS RUNNING

POUR ÉVITER DES BLESSURES GRAVES:

DE CETTE GOULOTTE LORSQUE LE MOTEUR EST EN MARCHE

003

TAGS

- . Custom Printed or Plain
- Consecutive numbering available
- Easy to write on
- High strength materials for demanding applications
- . Adhesive strip backing (optional)
- Available in *Indoor* and *Outdoor* grade materials

WHITE copy: Quality ORANGE copy: Stays on Product	WHITE copy: Stay	ORANGE	ion:	Distribution:
		Ву:	Approved By:	Ap
			1g #:	CMM Tag #:
		THE THE	ag #:	Scrap Tag #:
	crap	2. Rework Rejected to Scrap	ork Reje	2. Rewo
CMM Verification	CMM Vei	3.	Rework OK	1. Rewo
	*		tion:	Disposition:
			ag #:	Metal Tag #:
		Ву:	inspected By:	ins
			-	Reason:
	36		Code:	Defect Code:
		18.8		JSN #:
	y:	Qty:		Date:
			g #:	Hold Tag #:
			ne:	Part Name:
				Part #:
Ship/Rec.	U137	PN96	P221	Dept.:
R-04797	# R			
	lag	Rework Tag	Re	
		-	ارا	

RONG SHEL

4" ALL PERF X 100"

File # STM-FCD-0374

Imperial Pipe Corporation
416 PIDO ROAD, P.O. BOX 1178
416 PIDO ROAD, P.O. BOX 1178
7 (800) 461 6516
CONFORMS TO C.G.S.B. 41-GP-29M
MIN. OPENING AREA 16 CM*/M

.NAC

MAY JUNE JULY AUG.

FEB. MAR.

OTHER RACK

Z000 [

1999 I

I S N

ASSEMBLY SHIPPING

STATE OF STATE OF	1111	STATE OF THE PARTY
		• • • •
Belleville		Inventory Tag
9		
	PRODUCT CODE:	
m		
Pkg. Type	Wt	Location
	Pkg. Type Pkg. Type	PROI Pkg. Type Wt Pkg. Type Wt Pkg. Type Wt

DATA ENTERED BY:

Quantity
Item No.
Order No.
Johnson-Johnson Johnson Johnson Medicas Instrument Repair Services
Johnson Johnson
Codman. Service de réparation des instruments
Commande no
Article no
Quantité

TAPES

Available Custom Printed or Plain.

- Enhance your company profile by printing your logo and company information
- Reduce the temptation of pilferage and tampering with your factory seal
- Evidence of tampering is made easy
- Economical advertising & promotional tool
- Easily identify aged inventory with various colours of tape

Use for box closure, skid banding, bag sealing, bundling, tabbing and much more.


Various materials include:

- Polypropylene
- PVC
- Flatback (masking)
- Filament
- Reinforced and Gummed

Hand & Machine sizes available.

Tru-Pac is a compliant printer (CFIA) Canadian Food Inspection Agency, allowing us to reproduce the Meat Inspection Symbol.







Revenue Canada Customs and Excise Revenu Canada Douanes et Accise

Opened by / Ouvert par

Canada Customs Douanes
Canada

MAPLE LODGE FARMS LTD.

TRU-PAC PVC

torontoelectric

9 CODECO COURT, TORONTO, ONTARIO M3A 1A1 Phone: 416-386-0820 Fax: 416-386-0821

Email: sales@torontoelectric.com Website: www.torontoelectric.com to1

9 CODEC



Canada Border Services Agency Agence des services frontaliers du Canada

OPENED BY CBSA - OUVERT PAR I'ASFC

E608 (05)

Printed or Canada - Imprime au Canada

Canadä

. 303 EST. 303

Safety Seal Safety Seal


> TRU-PAC Flatback (Masking)


ERILE LED WATER STERILE DISTILLED WATER STERILE DISTILLED WATER STERILE DISTILLED WATER

REJETÉ EJECTED REJETÉ REJECTED

REJ.

TRU-PAC Bag Sealing





UALITY MEATS & SAUSAGES 596-8691






FOAMS

Single or double coated adhesive foams.

Can be supplied as follows:

- Die cut into exact shapes
- Cut into definite lengths
- With 1 or 2 extended liners for easy handling
- Having specific adhesives
- Laminated onto various materials & release liners
- Rolls
- Sheets
- Singles
- Bulk packaged





FILMS

Depending on the material thickness and type of film generally it can be:

- Printed
- . Slit to narrow widths
- Perforated
- Coated with specific adhesives
- Die cut to various shapes
- . Cut into definite lengths
- Laminated onto many materials

MAGNET

Our High Energy Magnet is ideally suited for

- Warehouse Racking
- Bin & Shelf Identification
- Dry Erase Requirements
- Stock Rotation (seasonal) Applications

This Product Can Be:

- Printed with barcodes
- Coloured for stock rotation
- Custom printed
- Die cut into shapes
- Perforated
- . Coated with specific adhesives
- Converted for specific applications
- Supplied in rolls, sheets or singles

TRU-PAC
MAGNET

BIN

2345656

SHELF



120025

RACK